



Tork Advanced Wiper 440 Blue Performance



Benefit

- The strong and bulky wiper, ideal for engineering & mechanical environments
- Fast absorption of oil & lubricants improves productivity
- Added bulk & softness improves hand protection and productivity



255 m



36.9 cm



3



Food contact approved certified by a third party



Product properties

Article	System	Roll Length	Roll Width	Roll Diameter	Number of Sheets	Sheet Length	Core Inner Diameter	Layers	Print	Embossing	Colour
130080	W1 - Wipers wall/floor/standard system	255 m	36.9 cm	39 cm	750	34 cm	7.1 cm	3	Yes	Yes	Blue



Tork Advanced Wiper 440 Blue Performance

Shipping data

Consumer unit

EAN	7322540183795
Pieces	1
Height	369 mm
Width	390 mm
Length	390 mm
Volume	56.1 dm ³
Net weight	5646 g
Gross weight	5776 g

Transport unit

EAN	7322540183795
Pieces	1
Consumer units	1
Material	Shrink
Height	369 mm
Width	390 mm
Length	390 mm
Volume	56.1 dm ³
Net weight	5.65 kg
Gross weight	5.83 kg



Environmental

Content

Virgin pulp fibres

Chemicals

Material

Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye = if coloured

Fixing agents

Fluorescent whitening agent

Glue = if used

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control



Tork Advanced Wiper 440 Blue Performance

Retention aids

Broke treatment chemicals

Drainage aid

Food Contact

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by ISEGA. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel

This product is certified according to FSC

Date of issue 2006-06-12

Revision date 2011-09-20

SCA Hygiene Products AB, 405 03 Göteborg, SE

Production

Material produced at Mannheim mill and product converted at Kostheim mill, Germany, certified according to ISO 9001:2000, ISO 14001 and EMAS

Disposal / destruction of used product

This product is mainly used for industrial processes and might through use be contaminated with different substances. This will determine how the used product will be handled / disposed of /destroyed. The product itself is suitable for incineration. Contact local authorities before destruction.