



ARUBA is a chair characterized with its simplicity and functionality. One of its most important features is safety. The chair's solid construction allows a load capacity up to 150 kg. A well-profiled seat with various mechanisms and the indispensable lumbar support ensure the correct user posture. Additionally, We offer a synchro mechanism to Aruba chair to increase comfort and ensure well-being during long hours of work spent in the office. The seat is also equipped with a slider plate, which allows to adjust the seat depth. ARUBA is also available with a headrest. It adds elegance and provides head support and relieves the cervical spine.

- **ARUBA - S1 + T1 - Premier**

- swivel chair
- (S1) - synchro mechanism
- (T1) - seat slider
- (Premier) - polished aluminum base Ø 700mm

- **ARUBA - S1 + T1 - Ultra**

- swivel chair
- (S1) - synchro mechanism
- (T1) - seat slider
- (Ultra) - black nylon base Ø 700mm (polyamide + 30% fiber glass)

- **ARUBA - S1 + T1 - Z - Premier**

- swivel chair
- (S1) - synchro mechanism
- (T1) - seat slider
- (Z) - upholstered headrest
- (Premier) - polished aluminum base Ø 700mm

- **ARUBA - S1 + T1 - Z - Ultra**

- swivel chair
- (S1) - synchro mechanism
- (T1) - seat slider
- (Z) - upholstered headrest
- (Ultra) - black nylon base Ø 700mm (polyamide + 30% fiber glass)

Technical data

Mechanism:

- **(S1) - synchro mechanism**
 - synchronized adjustment of backrest and seat inclination by one lever
 - seat inclination 9°, backrest inclination 20°
 - tension adjustment by bottom handwheel
 - locking in 5 positions
 - height adjustment of the seat by lever
 - anti-shock - protection from uncontrolled backrest movement
 - mechanism can be used in either locked or unlocked position
- **(T1) - seat slider** adjustment of seat depth by lever or button, locking in 5 positions

Base:

- **(Premier)** - polished aluminum Ø 700mm
- **(Ultra)** - black nylon Ø 700mm (polyamide + 30% fiber glass)

Backrest:

- upholstered
- with a height adjustment mechanism
- adjustable lumbar support depth
- foam 4 cm - density T40 kg/m³

Seat:

- tapicerowane
- pianka 6cm o gęstości T40 kg

Castors:

- **Hard** - 65mm; for soft floor (carpet floor)
- **Soft** - 65mm; for hard floor (wood flooring, tiles)

Headrest:

- upholstered

Armrests:

- **PR 0001** - adjustable up-down armrest, black, polyamide (PA) construction
- **PR 0011** - adjustable up-down armrest; black steel construction; black, hard polypropylene (PP) pad
- **PR 0012** - adjustable up-down armrest; black steel construction; black, soft polyurethane (PU) pad
- **PR 1022** - adjustable up-down armrest; chromed steel construction; black, soft polyurethane (PU) pad
- **PR 0031** - adjustable up-down armrest; black nylon construction; black, hard polypropylene (PP) pad
- **PR 0032** - adjustable up-down armrest; black nylon construction; black, soft polyurethane (PU) pad
- **PR 0132** - adjustable up-down armrest; lateral adjustment; black nylon construction; black, soft polyurethane (PU) pad, front-rear sliding pad
- **PR 1132** - adjustable up-down armrest; lateral adjustment; chromed steel construction; black, soft

polyurethane (PU) pad, front-rear sliding pad





Pattern collections

IV group _ TIME

V group _ MAIN LINE PLUS

II group _ BONDAI

III group _ GRAVITY

IV group _ ADVANTAGE

V group _ SKAI TOLEDO EN

VI group _ STEP

VI group _ FAME

III group _ ERA

VI group _ FENICE

II group _ SOFT

IV group _ ONE

VI group _ STEP MELANGE