



## Clocks

# /An international company



## Contact us

- 1** UNILUX  
17 avenue du Parc (Technopolis)  
91380 Chilly Mazarin  
FRANCE  
Tel: +33 1 81 86 06 00  
E-mail: [contact.unilux@hamelinbrands.com](mailto:contact.unilux@hamelinbrands.com)
- 2** HAMELIN S.A.S  
Avenue General Harris  
14054 Caen cedex 4  
FRANCE  
Tel: +33 2 14 40 62 00  
E-mail: [info.hamelin@hamelinbrands.com](mailto:info.hamelin@hamelinbrands.com)
- 3** HAMELIN BRANDS LIMITED  
Kings Warren Business Park  
IP28 8WG Red Lodge  
UK  
Tel: +44 1638 554 524  
E-mail: [marketing.uk@hamelinbrands.com](mailto:marketing.uk@hamelinbrands.com)
- 4** HAMELIN GMBH  
Robert-Hamelin-Strasse 1  
31028 Gronau (Leine)  
GERMANY  
Tel: +49 5182 901 0  
E-mail: [info.hamelinde@hamelinbrands.com](mailto:info.hamelinde@hamelinbrands.com)
- 5** HAMELIN BRANDS S.L.U.  
Ctra. C-66 Km. 22.60  
17463 Flaca  
SPAIN/ PORTUGAL  
Tel: +34 901 100 069  
E-mail: [Unilux.iberia@hamelinbrands.com](mailto:Unilux.iberia@hamelinbrands.com)
- 6** HAMELIN NORDIC  
Noelegaardsvej 1  
3540 Lynge  
DENMARK  
Tel: +45 48 16 50 00  
E-mail: [csdk@hamelinbrands.com](mailto:csdk@hamelinbrands.com)
- 7** HAMELIN BV  
Celsiusweg 35b  
5928 PR Venlo  
NETHERLANDS  
Tel: +31 77 373 15 51  
E-mail: [sales.hamelinnl@hamelinbrands.com](mailto:sales.hamelinnl@hamelinbrands.com)
- 8** FAVORIT SPA  
piazza Don Mapelli 1  
20099 Sesto San Giovanni (MI)  
ITALY  
Tel: +39 02 2590591  
E-mail: [info.hamelinit@hamelinbrands.com](mailto:info.hamelinit@hamelinbrands.com)
- 9** HAMELIN POLAND  
Ryzowa 49,  
02-495 Warsaw  
POLAND  
Tel: +48 22 589 51 11  
E-mail: [info.hamelinpl@hamelinbrands.com](mailto:info.hamelinpl@hamelinbrands.com)
- 10** HAMELIN BRANDS INC  
Amherst Works  
11 Amity Street- Amherst, MA 01002  
USA  
Tel: +1 800 674 7018  
E-mail: [info@hamelinbrandsinc.com](mailto:info@hamelinbrandsinc.com)
- 11** HAMELIN BRANDS PTY. LTD.  
17 Interchange Drive,  
Eastern Creek NSW  
2766 AUSTRALIA  
Tel: +61 1300 655 667  
E-mail: [customersupport.au@hamelinbrands.com](mailto:customersupport.au@hamelinbrands.com)

# /Sum up

Our vision..... p 4

Our expertise..... p 6

Our eco-responsible commitment ..... p 7

Clocks..... p 8



## /Our mission:

Consists of contributing to better health in the office, by proposing innovative and effective products while respecting the requirements of safety, respect for the environment and Men. By meeting the needs of the 5 senses of the person, our ambition is to increase the well-being, productivity in the office.

UNILUX wishes to promote through its products the exchanges between employees, their concentration, their mobility, the aesthetics of their work environment and the image of the company.

### 1- Lighting workspaces

Light influences our concentration at work. The careful selection of UNILUX light sources reduces fatigue and headaches. UNILUX designs new lamps to regulate our circadian cycle, a biorhythm that regulates sleep, digestion, body temperature, cell reproduction and even our mood.

### 2- Improve ergonomics at work

With ergonomists and osteopaths, UNILUX creates revolutionary ergonomic products adapted to office life. Ergonomic seating, lift desks and footrests promote dynamic postures, stimulating blood circulation, joint movement and reducing back pain.


### 3- Create aesthetic workplaces

In connection with interior designers, UNILUX invents products with “trendy” design and pleasant working universes. These ambiances provide more pleasure and motivation for employees for better quality and a revitalized corporate image.

### 4- Respond to new work modes driven by “Digital native”

Collaborate, connect, exchange, move, share, live in the office and at home, UNILUX supports the changes of lifestyle at work with modular organizational solutions.

# /Our 360 ° vision



# /Our values:

Innovation and Design

Empathy, Respect and Well-Being

Quality/ Excellence and Expertise



# /Our expertise

## From ideation to industrialization

### 1- Idéation



Creation and innovation are at the heart of UNILUX's DNA. We follow a rigorous process of creativity called "Design Thinking" allowing us to empathize with our consumers to better meet their expectations. Our goal is to provide the best user experience to our customers.

### 2- Conception



The development of our ranges is based on a multidisciplinary approach that takes into account all the requirements to preserve the environment, by:

- the choice of materials used
- reducing the energy consumption of our lamps using the latest LED technologies
- optimization of packaging and logistics aspects

### 3- Performance measurement



UNILUX measures the performance of prototypes and pre-series before the industrial launch. The control of photometry and mechanical tests are therefore perfectly controlled internally and validated by external laboratories.

### 4- Quality and continuous improvement



Quality is our priority. Certified ISO 9001, 14001 and 45001 Unilux guarantees a thorough control of its products on the production lines. Sampling of finished products is tested on all expected functional performance. Daily monitoring of our level of quality makes it possible to systematically engage in continuous improvement actions.

### 5- Customer service



UNILUX ensures the permanent link with its customers thanks to a CRM and a team dedicated to the service. The availability of UNILUX products throughout Europe is guaranteed by the centralized management of the supply chain and the most efficient digital tools.





## /Our eco-responsible commitment

### *An actor committed to the eco-responsibility and sustainability of its products*

UNILUX places sustainable development at the heart of its strategy and acts in favor of the environment. UNILUX is certified ISO 9001- Safety ISO 45001- Environment ISO 14001. UNILUX is part of a continuous improvement process that includes all stakeholders.

UNILUX aims to meet the environmental concerns of its consumers by ensuring that environmental impacts are reduced or controlled. UNILUX ensures the regulatory compliance of all its products (prescriptions: ROHS, REACH, WEEE ...). UNILUX chooses reusable materials as a priority.

UNILUX lamps are equipped with LED bulbs and latest generation LED cards that guarantee low power consumption thanks to excellent light output. They also ensure a longer life.

To promote energy savings, some UNILUX lamps are also programmed to turn off after a few hours.





# /Clocks

1

Ideal for integrating into everything type of space working

•  
SOLUTIONS

QUARTZ  
CLOCKS

2

Opt for a professional-looking clock with functionality smart

•  
SOLUTIONS

SILENT  
CLOCKS

3

Perfect for bring a design touch to your work environment

•  
SOLUTIONS

RADIO-CONTROLLED  
CLOCKS

## Features



Silent movement



Radio-controlled



Plug into mains



NEWS  
2021

/WETTY



- **Intelligent:** the dial is equipped with a precision thermometer (indoor temperature of 0°C to + 50°C) and to know the temperature and indoor humidity rate ( 30% to 100%) of your environment job.
- **Modern design:** its sober shape and its metallic gray outline allow it to adapt to all the decor from the most classic to the most contemporary.
- **Readability:** a 30 cm dimension for maximum readability up to 35 m thanks to its white contrast on a black background.
- **Robustness:** thanks to its steel frame, this clock with beautiful finishes withstands any test.
- **Complementary:** clock perfectly coordinated with LED lamps and UNILUX office accessories (coat rack, footrest, ergonomics products).

- Operation: powered by a batteries supplied
- Dimensions: diameter 30 cm
- Thickness: 4,5 cm
- Weight: 0.58 kg
- Warranty 2 years
- Quick wall fixing with 1 eyelet
- Materials: steel frame / flat mineral glass lid

Réf. product	Color	Net weight	Code EAN	EA by box
400140807	Metal grey	0,58 kg	3595560030439	1 pc.



# /PALMABAMBOO



- **Neo retro design:** this clock with sober lines has been revamped to be trendy and modern thanks to its 100% natural bamboo dial
- **Readability:** a dimension of 30 cm for maximum readability up to 35 m thanks to the large sizes of its black numbers.
- **Ergonomics:** thanks to its silent system, the second hand emits no noise creating a framework conducive to concentration for work.
- **Accuracy:** high quality Quartz system allows a reliability of a difference of 1 sec in 6 years of operation.
- **Complementary products:** floor lamp perfectly coordinated with the BAYA BAMBOO lamp, BALY BAMBOO uplighter and the BORA BAMBOO coat stand

- Operation: Powered by a 1.5 V (AA) battery supplied
- Thickness: 3.5 cm
- Dimensions: diameter: 30 cm
- Weight: 0.77 Kg\*
- Average consumption: 0,21 Am\*
- Quick wall fixing with 1 eyelet
- Materials: bamboo wood frame

\*Non-contractual data



Réf. product	Color	Net weight	Code EAN	EA by box
400140806	Wood	0,77 kg*	3595560030408	1 pc.

# /ARIA



- **Classic design:** a simple but effective design, this wall clock will fit perfectly to all types of offices.
- **Readability:** With its glass surface of 28 cm and its dual display, this clock will facilitate reading effortlessly up to 30 m.
- **Precision:** Quartz system of high quality allows reliability of a gap of 1 sec in 6 years of operation.

- Operation: powered by a 1.5 V battery power supply (AA) not included
- Dimensions: diameter 28 cm
- Thickness: 3,5cm
- Weight: 0.35 Kg
- Quick wall fixing with 1 eyelet
- 2 years warranty
- Materials: ABS plastic frame / flat mineral glass lid

Réf. product	Color	Consumption	Code EAN	EA by box
400094280	Metal gray	0,07 mA	3595560022366	1 pc.

# /MAGNET



- **Practical:** this nomad pendulum adheres to metal surfaces without drilling, thanks to its powerful magnets.
- **Sober design:** with its professional character, this large clock will easily fit into open-space offices.
- **Precision:** Quartz system of high quality allows reliability of a gap of 1 sec in 6 years of operation.

- Operation: powered by a 1.5 V (AA) battery supplied
- Dimensions: diameter 30.5 cm
- Thickness: 4 cm
- Weight: 0.73 Kg
- 2 years warranty
- Possibility also to fix the pendulum to the wall by 1 eyelet
- Materials: ABS plastic frame / flat mineral glass lid



Réf. product	Color	Consumption	Code EAN	EA by box
400094406	Metal gray	0,29 mA	3595560023714	1 pc.

# /INSTINCT



- **Intelligent:** a digital display is embedded in the dial and indicates the choice: day / date, date / month or hour / minutes.
- **Accuracy DST SYSTEM:** its mechanism allows it to adjust itself automatically during summer or winter time changes.
- **Contemporary design:** its contemporary design will seduce you with its metallic gray dynamic outline and digital date stamp giving the date of the day. This clock fits all types of offices.

- Operation: powered by a 1.5 V (AA) battery supplied
- Dimensions: diameter 30.5 cm
- Thickness: 4 cm
- Weight: 0.61 Kg
- 2 years warranty
- Possibility also to fix the pendulum to the wall by 1 eyelet
- Materials: ABS plastic frame / flat mineral glass lid

13

Clocks

Réf. product	Color	Consumption	Code EAN	EA by box
100340853	Metalg ray	0,14 mA	3595560007929	1 pc.

# /TEMPUS



- **Intelligent:** the dial is equipped with a precision thermometer, with digital display (indoor temperature of 0° C to + 100° C), to know the temperature of your environment. job.
- **Modern design:** its sober shape and its metallic gray outline allow it to adapt to all the decor from the most classic to the most contemporary.
- **Complementary:** clock perfectly coordinated with LED lamps and UNILUX office accessories (coat rack, footrest, ergonomics products).

- Operation: powered by a 3 x 1.5 V (AA) batteries supplied
- Dimensions: diameter 30.5 cm
- Thickness: 4 cm
- Weight: 0.75 Kg
- 2 years warranty
- Quick wall fixing with 1 eyelet
- Materials: ABS plastic frame / flat mineral glass lid



Réf. product	Color	Consumption	Code EAN	EA by box
400094592	Gris métal	0,21 mA	3595560025282	1 pc.



## /MOON



THE + PRODUCT

Backlit display

- **Smart:** this clock has a white backlight system that allows great readability wherever you are in the room.
- **Modern design:** with its contemporary look and beautiful aluminum finish MOON will suit all types of offices.
- **Readability:** a dimension of 31.5 cm for maximum readability up to 35 m thanks to its contrast of large black numbers on a white background.
- **Precision:** Quartz system of high quality allows reliability of a gap of 1 sec in 6 years of operation.
- **Robustness:** thanks to its aluminum frame, this clock with beautiful finishes withstands any test.

- Operation: mains connection (cable supplied).
- Thickness: 4.5 cm
- Dimensions: diameter: 30.5 cm
- Weight: 1.05 Kg
- Quick wall fixing with 1 eyelet
- Materials: aluminum frame / flat mineral glass lid

Réf. product	Color	Consumption	Code EAN	EA by box
400094569	Metal gray	0,22 mA	3595560025220	1 pc.

## /ON TIME



- **The + product:** four time zones are available to be responsive all over the world (France, London, Tokyo and New York).
- **Contemporary design:** its white numbers on a black background and its finishes, give it a very contemporary and elegant look. Perfect for open space and halls.
- **Precision:** Quartz system of high quality allows reliability of a gap of 1 sec in 6 years of operation.

- Operation: powered by 4 x 1.5 V (AA) batteries supplied
- Dimensions: diameter 30.5 cm
- Thickness: 4 cm
- Weight: 0.80 Kg
- 2 years warranty
- Quick wall fixing with 1 eyelet
- Materials: ABS plastic frame / flat mineral glass lid

15

Clocks

Réf. produit	Couleur	Consommation	Code EAN	Qté/carton
400094567	Nior	0,21 mA	3595560025114	1 pc.

## /MEGA



- **Practical:** a dimension of 57.5 cm for a maximum readability up to 180m. This large clock is particularly suitable for large areas (open-spaces, warehouses, meeting rooms, dining rooms, ..).
- **Modern design:** its contemporary look and its white numbers on a black background allows a visual contrast conducive to reading.
- **Complementary:** clock perfectly coordinated with LED lamps and UNILUX office accessories (coat rack, footrest, ergonomics products).

- Operation: powered by a 1.5 V (AA) battery supplied
- Dimensions: diameter 57.5 cm
- Thickness: 7 cm
- Weight: 3.45 Kg
- 2 years warranty
- Quick wall fixing with 1 eyelet
- Materials: ABS plastic frame / flat mineral glass lid

Réf. product	Color	Consumption	Code EAN	EA by box
400094568	Black	0,21 mA	3595560025183	1 pc.

## /POP



- **Ergonomics:** thanks to its quiet system, the second hand emits no noise creating a framework conducive to concentration for work.
- **Pop design:** available in 3 colors, this functional and decorative clock will bring the touch of color in your office.
- **Readability:** a 28 cm dimension for maximum readability up to 30 m thanks to its contrast of large black numbers on a white background and its fine frame.
- **Complementary:** clock perfectly coordinated with LED lamps and UNILUX office accessories (coat rack, footrest, ergonomics products).

- Operation: powered by a 1.5 V (AA) battery supplied
- Dimensions: diameter 28 cm
- Thickness: 3,5cm
- Weight: 0.46 Kg
- 2 years warranty
- Quick wall fixing with 1 eyelet
- Materials: ABS plastic frame / flat mineral glass lid

Réf. product	Color	Consumption	Code EAN	EA by box
400094281	Black	0,20 mA	3595560022496	1 pc.
400094282	White	0,20 mA	3595560022618	1 pc.
400094283	Metal gray	0,20 mA	3595560022656	1 pc.

## /MAXI POP



- **Ergonomics:** thanks to its quiet system, the second hand emits no noise creating a framework conducive to concentration for work.
- **Modern design:** this large functional and decorative clock will harmonize perfectly in open-space offices.
- **Readability:** a 37.5 cm dimension for maximum readability up to 150 m thanks to its contrast of large black numbers on a white background.
- **Precision:** Quartz system of high quality allows reliability of a gap of 1 sec in 6 years of operation.
- **Complementary:** clock perfectly coordinated with LED lamps and UNILUX office accessories (coat rack, footrest, ergonomics products).

- Operation: powered by a 1.5 V (AA) battery supplied
- Dimensions: diameter 37.5 cm
- Thickness: 5 cm
- Weight: 1.18 Kg
- Quick wall fixing with 1 eyelet
- 2 years warranty
- Materials: ABS plastic frame / flat mineral glass lid

Réf. product	Color	Consumption	Code EAN	EA by box
400094487	Black	0,22 mA	3595560023905	1 pc.
400094488	Metal gray	0,22 mA	3595560023936	1 pc.







## /BALTIC



- **Scandinavian design:** sober and timeless, the wood-white combination sublimates both large interiors such as reception halls and smaller contemporary spaces.
- **Readability:** a dimension of 31.5 cm for maximum readability up to 35 m thanks to its contrast of large black numbers on a white background.
- **Ergonomics:** thanks to its quiet system, the second hand emits no noise creating a framework conducive to concentration for work.
- **Precision:** Quartz system of high quality allows reliability of a gap of 1 sec in 6 years of operation.
- **Complementary products:** clock perfectly coordinated with the VICKY LED lamp, PRYSKA floor lamp, ACCESS coat rack and the ERGO WELL electrical desk.

- Operation: Powered by a 1.5 V (AA) battery supplied
- Thickness: 3.5 cm
- Dimensions: diameter: 31.5 cm
- Weight: 0.77 Kg
- Quick wall fixing with 1 eyelet
- Materials: beech wood frame \* / flat mineral glass lid

\* The wood used in this product comes from a forest managed in an eco-responsible way

Réf. product	Color	Consumption	Code EAN	EA by box
400094591	White/ beech	0,21 mA	3595560025251	1 pc.

# /ATTRACTION



THE + PRODUCT  
Magnetic fixing

- **Ergonomics:** thanks to its quiet system, the second hand emits no noise creating a framework conducive to concentration for work.
- **Practical:** this nomad pendulum adheres to metal surfaces without drilling, thanks to its powerful magnets.
- **Sober design:** with its professional character, this clock will easily fit into your office.
- **Precision:** Quartz system of high quality allows reliability of a gap of 1 sec in 6 years of operation.

- Operation: powered by a 1.5 V (AA) battery supplied
- Dimensions: diameter 22 cm
- Thickness: 4 cm
- Weight: 0.41 Kg
- 2 years warranty
- Possibility also to fix the pendulum to the wall by 1 eyelet
- Materials: ABS plastic frame / flat mineral glass lid

19

Clocks

Réf. produit	Color	Consumption	Code EAN	EA by box
400094404	Metal gray	0,28 mA	3595560023318	1 pc.

# /FLO LED



- **Quiet:** compared to conventional clocks, this electric clock does not emit any noise harmful to concentration and productivity.
- **High tech and modern design:** its black square dial with aluminum contour provides information with blue LEDs that gives it a trend and contemporary look compatible with all styles of workspace (lobby, meeting and office).
- **Have everything in view:** Display days of the week, date and indoor temperature from -9° C to + 50° C.
- **Readable day and night:** thanks to a dimension of 28 cm and its contrast of large digital digits LED blue of 6 cm height on a black background.
- **Smart:** no need to change the battery, this LED pendulum connects directly to mains (cable = 1m 80)

- Operation: mains connection (cable supplied).
- Intuitive operation: silent keys
- Dimensions: 28 cm x 28 cm
- Thickness: 3.5 cm
- Weight: 0.83 Kg
- Quick wall fixing with 2 eyelets
- Materials: aluminum frame / flat mineral glass lid

Réf. produit	Color	Consumption	Code EAN	Qté/carton
400124566	Black/ metal gray	0,28 mA	3595560029648	1 pc.

# /WAVE



- **Radio controlled:** the time is permanently adjusted permanently by radio waves from the Atomic Clock in Mainflingen. High accuracy: 1 second maximum difference in 1 million years.
- **Sober design:** a simple but effective design, this wall clock will fit perfectly to all types of offices.
- **Readability:** a dimension of 30 cm for maximum legibility up to 35 m thanks to its contrast of large black numbers on a white background and its fine frame.
- **Complementary:** clock perfectly coordinated with LED lamps and UNILUX office accessories (coat rack, footrest, ergonomics products).

- Operation: powered by a 1.5 V (AA) battery supplied
- Dimensions: diameter 30 cm
- Thickness: 4.5 cm
- Weight: 0.59 Kg
- Quick wall fixing with 1 eyelet
- 2 years warranty
- Materials: ABS plastic frame / flat mineral glass lid



#### USE RESTRICTIONS:

- does not work in buildings with metal structure
- does not work near a high frequency transmitter (eg PC)
- does not operate at a distance of more than 1500 km from the signal transmitter (Mainflingen in Germany) and depends on topographic conditions

Réf. product	Color	Consumption	Code EAN	EA by box
400094561	Black	0,37 mA	3595560024186	1 pc.
400094563	White	0,37 mA	3595560024711	1 pc.
400094562	Metal gray	0,37 mA	3595560024445	1 pc.

# /MAXI WAVE



- **Radio-controlled:** The time is permanently adjusted by radio waves from the Atomic Clock in Mainflingen. High accuracy: 1 second maximum difference in 1 million years.
- **Sober design:** a simple but effective design, this wall clock will fit perfectly to all types of offices.
- **Readability:** a 37.5 cm dimension for maximum readability up to 150 m thanks to its contrast of large black numbers on a white background.
- **Complementary:** clock perfectly coordinated with LED lamps and UNILUX office accessories (coat rack, footrest, ergonomics products).

- Operation: powered by a 1.5 V (AA) battery supplied
- Dimensions: diameter 37.5 cm
- Thickness: 4.5 cm
- Weight: 1.20 Kg
- Quick wall fixing with 1 eyelet
- 2 years warranty
- Materials: ABS plastic frame / flat mineral glass lid



#### USE RESTRICTIONS:

- does not work in buildings with metal structure
- does not work near a high frequency transmitter (eg PC)
- does not operate at a distance of more than 1500 km from the signal transmitter (Mainflingen in Germany) and depends on topographic conditions

Réf. product	Color	Consumption	Code EAN	EA bybox
400094564	Black	0,22 mA	3595560024919	1 pc.
400094565	Metal gray	0,22 mA	3595560024940	1 pc.

# /STATION



- **Radio-controlled:** The time is permanently adjusted by radio waves from the Atomic Clock in Mainflingen. High accuracy: 1 second maximum difference in 1 million years.
- **Ergonomics:** thanks to its quiet system, the second hand emits no noise creating a framework conducive to concentration for work.
- **Timeless design:** its "station clock" look with its black rectangular hands and scarlet red second hand will energize your office. It will be perfect for all types of offices.
- **Readability:** a 35 cm dimension for maximum readability up to 35 m thanks to its black contrast on a white background.
- **Robustness:** thanks to its steel frame, this clock with beautiful finishes withstands any test.

- Operation: Powered by a 1.5 V (AA) battery supplied
- Dimensions: diameter 35 cm
- Thickness: 4.5 cm
- Weight: 0.95 Kg
- Quick wall fixing with 1 eyelet
- 2 years warranty
- Materials: steel frame / flat mineral glass lid



#### USE RESTRICTIONS:

- does not work in buildings with metal structure
- does not work near a high frequency transmitter (eg PC)
- does not operate at a distance of more than 1500 km from the signal transmitter (Mainflingen in Germany) and depends on topographic conditions

Réf. product	Color	Consumption	Code EAN	EA by box
400124567	Metal gray	0,29 mA	3595560029679	1 pc.

# /OUTDOOR



- **Waterproof:** thanks to its sealing system (IP 41), this quality metal frame clock is suitable for both indoors and outdoors.
- **Radio-controlled:** The time is permanently adjusted by radio waves from the Atomic Clock in Mainflingen. High accuracy: 1 second maximum difference in 1 million years.
- **Ergonomics:** thanks to its quiet system, the second hand emits no noise creating a framework conducive to concentration for work.
- **Robustness:** thanks to its stainless steel frame, this clock with beautiful finishes withstands any test.

- Operation: powered by a 1.5 V (AA) battery supplied
- Dimensions: diameter 35.5 cm
- Thickness: 4.5 cm
- Weight: 1.08 Kg
- Quick wall fixing with 1 eyelet
- 2 years warranty
- Materials: stainless steel frame / flat mineral glass lid



#### USE RESTRICTIONS:

- does not work in buildings with metal structure
- does not work near a high frequency transmitter (eg PC)
- does not operate at a distance of more than 1500 km from the signal transmitter (Mainflingen in Germany) and depends on topographic conditions

Réf. product	Color	Consumption	Code EAN	EA by box
400094566	Metal gray	0,22 mA	3595560025053	1 pc.

## / Coming soon on pCon Planner

You will be able to obtain data on about 20 UNILUX products also in the OFML standard and integrate them quickly and easily into 3D space and layout designs via pCon.



## / Download on our website

Always available: high quality photos, technical data sheets and instruction manuals for all our products.



## / Do you have questions about our products?

Our customer service department is always at your disposal  
Tèl: +33 1 81 86 06 03  
www.my-unilux.com, rubric SAV  
E-mail: contact.unilux@hamelinbrands.com



## / Follow us on social networks



# UNILUX

## HAMELIN

---

Hamelin A/S | Nøglegårdsvej 1 | DK-3540 Lynge | Denmark

---

[www.hamelin.dk](http://www.hamelin.dk)